Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1878	ontolog\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/10/14 08:31
S2	3	(match\$4 same job\$4 same (employee\$4 or worker\$4 or candidate\$4)) and (concept near4 space\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/14 08:36
S3	34	"5197004"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/14 08:34
S4	0	S3 and S1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/14 08:34
S5	0	S3 and (concept near4 space\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/14 08:35
S6	11	S3 and (concept\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/14 08:35
S7	0	("2005/0080657").URPN.	USPAT	OR	OFF	2006/10/14 08:36
S8	202	(match\$4 same job\$4 same (employee\$4 or worker\$4 or candidate\$4)) and (concept\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/14 08:38
S9	3086	(conceptualization or ontolog\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/14 08:42
S10	370	S9 and job\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/14 08:39

			_			
S11	185	S9 and (position\$4 or job\$7) and resume\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/14 08:41
S12	85	S9 and (job\$7) and resume\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/14 08:41
S13	75	(conceptualization or ontolog\$7) same (job\$7 or employee\$4 or reume\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2006/10/14 08:48
S15	544	(conceptualization or ontolog\$7) and (job\$7 or employee\$4 or reume\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/14 08:48
S16	469	S15 not S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/14 08:48
S17	0	S15 not S13 and scor\$4 and (job\$4 same title\$4 same skill\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/14 08:48
S18	0	(S15 not S13) and scor\$4 and (job\$4 same title\$4 same skill\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/14 08:49
S19	2	(conceptualization or ontolog\$7) and scor\$4 and (job\$4 same title\$4 same skill\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/14 08:49
S20	3	(conceptualization or ontolog\$7) and (job\$4 same title\$4 same skill\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/14 08:50
S21	189	(match\$4 near8 (candidate\$4 or employee\$4 or worker\$4) near6 job\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/14 08:50

		-	ii iiiscoi y			
S22	58	S21 and ((job\$3 or position\$4) near4 (title\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/10/14 08:51
S23	36	S21 and ((job\$3 or position\$4) near4 (title\$4)) and resume\$4 and skill\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/14 08:55
S24	.21	S21 and ((job\$3 or position\$4) near4 (title\$4)) and resume\$4 and skill\$4 and scor\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/14 09:03
S25	15	ontolog\$6 and conceptualiz\$4 and (GUI or (Graphical near2 interface\$\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/14 09:38
S26	167	ontolog\$6 and (concept\$7 near5 (map\$7 or scor\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/14 09:41
S27	24	"6438579"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/14 09:38
S28	45155	("705").CLAS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/14 09:39
S29	11	S26 and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/14 09:39
S30	156	S26 not S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/14 09:45
S31	34	(generat\$6 near6 (display\$4 or graph\$4)) and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/14 09:45

S32	8	categor\$8 and (ontolog\$4 near4 manag\$4) and (score\$2 or scoring)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 11:30
S33	10	(ontolog\$4 near4 manag\$4) and (score\$2 or scoring)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/10/16 11:30
S34	2	S33 not S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 11:30
S35	378	categor\$8 and (ontolog\$4) and (score\$2 or scoring)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 11:30
S36	3	categor\$8 and (ontolog\$4) and (concept\$4 near (score\$2 or scoring))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 11:31
S37	102	categor\$8 and (ontolog\$4) and ((score\$2 or scoring)) and (job\$2 or employee\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 11:31
S38	14	categor\$8 and (ontolog\$4) and ((score\$2 or scoring) same (job\$2 or employee\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 11:32
S39	15	(ontolog\$4) and ((score\$2 or scoring) same (job\$2 or employee\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 11:32
S40	2	(ontolog\$4) same ((score\$2 or scoring) same (jób\$2 or employee\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 11:32
S41 .	1	S39 not S38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 14:49

			•			
S42	3	(match same job\$4 same (worker\$4 or employee\$4)) and (pattern\$4 near4 detect\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 14:51
S43	84	(match same job\$4 same (worker\$4 or employee\$4)) and (pattern\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 14:51
S44	129	(match\$8 same job\$4 same (worker\$4 or employee\$4)) and (pattern\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 14:52
S45		(match\$4 same job\$4 same (worker\$4 or employee\$4)) and (pattern\$4 near4 detect\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 14:51
S46	9	(match\$8 same job\$4 same (worker\$4 or employee\$4)) and (pattern\$4 same scor\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 14:53
- S47	2	(match\$8 same job\$4 same (worker\$4 or employee\$4)) and (score\$4 or scoring\$4) and ontolog\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 15:19
S48	2	(match\$8 same job\$4 same (worker\$4 or employee\$4)) and ontolog\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 14:59
S49	23	(job\$4 same (worker\$4 or employee\$4)) and ontolog\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 15:12
S50	34	"5197004"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 15:17
S51	8	"6778995"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 15:16

		LASI Searci	i iliscoi y			
S52	0	S50 and ontolog\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 15:17
S53	5	("4095799" "4706212" "4744050" "4750122" "4847766").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/16 15:17
S54	21	("5197004").URPN.	USPAT	OR	OFF	2006/10/16 15:18
S55	7	S54 and scor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 07:49
S56	0	S54 and ontolog\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 15:19
S57	47613	distance near4 function\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 09:43
S58	40	(distance near4 function\$4) and ontolog\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 08:37
S59	3	(distance near4 function\$4) and ontolog\$7 and graph\$4 and (concept\$4 near3 spac\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 08:42
S60	25	(distance near4 function\$4) and ontolog\$7 and graph\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 08:41
S61	3	(distance near4 function\$4) and ontolog\$7 and (concept\$4 near3 spac\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 08:43
S62	152	(distance near4 function\$4) and (concept\$4 near3 spac\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 08:43

		·				
S63	80	(distance near1 function\$4) and (concept\$4 near3 spac\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 08:43
S64	29	(distance near1 function\$4) and (concept\$4 near3 spac\$4) and (job or jobs or employee\$4 or worker\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 08:49
S65	84	(distance near1 function\$4) and (graph\$7 near8 point\$4) and (job or jobs or employee\$4 or worker\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 08:48
S66	1318	(distance near1 function\$4) and (job or jobs or employee\$4 or worker\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 08:47
S67	45207	("705").CLAS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 08:47
S68	39	S67 and S66	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 08:47
S69	1193	(distance near1 function\$4) and (point\$4) and (job or jobs or employee\$4 or worker\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR -	OFF	2006/10/17 08:48
S70	83	(distance near1 function\$4) and (match\$5 near10 point\$4) and (job or jobs or employee\$4 or worker\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 08:48
S71	7	(distance near1 function\$4) and ontolog\$4 and cluster\$4 and (job or jobs or employee\$4 or worker\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 08:49
S72	18	(distance near1 function\$4) and ontolog\$4 and cluster\$4	US-PGPUB; US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 08:51

			_			
S73	11	S72 not S71	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 08:50
S74	4	((distance near1 function\$4) same concept\$7) and ontolog\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 09:42
S75	10529	(distance\$4 same match\$4 same point\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 09:43
S76	1016	(distance\$4 near7 match\$4 near7 point\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 09:43
S77	243	((distance near4 function\$4) same match\$4 same point\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 09:46
S78	. 2	S67 and S77	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 09:44
S79	3965	((distance adj1 function\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 09:47
S80	107	((distance adj1 function\$4)) same (point\$4 near4 (close\$4 or near\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 09:50
S81	1	"20050080656" and ontolog\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 09:47
S82	45	((distance adj1 function\$4) same cluster\$4) and (point\$4 near4 (close\$4 or near\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 13:12

			····sco··y			
S83	3215	((plot\$6 or graph\$4) near5 (score\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 13:13
S84	135	((plot\$6 or graph\$4) near5 (score\$4)) same distance\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 13:13
S85	30	(employee\$2 or worker\$2 or job or jobs) and(((plot\$6 or graph\$4) near5 (score\$4)) same distance\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 13:17
S86	212	(employee\$2 or worker\$2 or job or jobs) and(((plot\$6 or graph\$4) near5 (score\$4))) and (distance\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 13:15
S87	22	(employee\$2 or worker\$2 or job or jobs) and(((plot\$6 or graph\$4) near5 (score\$4))) and (distance\$4 near4 function\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 13:16
S88	257	(employee\$2 or worker\$2 or job or jobs) and(((plot\$6 or graph\$4) near5 (point\$4 or score\$4)) same distance\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 13:23
S89	4	(employee\$2 or worker\$2 or job or jobs) and(((plot\$6 or graph\$4) near5 (point\$4 or score\$4)) same (function\$4 near2 distance\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 13:17
S90	167	(((plot\$6 or graph\$4) near5 (point\$4 or score\$4)) same (function\$4 near2 distance\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 13:22
S91	956	(nearest near4 neighbor\$4) and (distance near4 function\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 13:23
S92	164	(nearest near4 neighbor\$4) same (distance near4 function\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 13:25

S93	14	(employee\$2 or worker\$2 or job or jobs) and S92	US-PGPUB; USPAT; EPO; JPO;	OR	OFF	2006/10/17 13:23
		<u>.</u>	DERWENT; IBM_TDB			